

SELECTED REFERENCES BY THERAPEUTIC AREA

Pain

Chattopadhyay, M., Zhou, Z., Hao, S., Mata, M. & Fink, D. J. (2012). Reduction of voltage gated sodium channel protein in DRG by vector mediated miRNA reduces pain in rats with painful diabetic neuropathy. *Mol Pain* **8**: 17.

Sun, J., Liu, S., Mata, M., Fink, D. J. & Hao, S. (2012). Transgene-mediated expression of tumor necrosis factor soluble receptor attenuates morphine tolerance in rats. *Gene Ther* **19**: 101-8.

Oguchi, T., Funahashi, Y., Yokoyama, H., Nishizawa, O., Goins, W. F., Goss, J. R., Glorioso, J. C. & Yoshimura, N. (2012). Effect of herpes simplex virus vector-mediated interleukin-4 gene therapy on bladder overactivity and nociception. *Gene Ther* (In Press).

Zheng, X., Ouyang, H., Liu, S., Mata, M., Fink, D. J. & Hao, S. (2011). TNF α is involved in neuropathic pain induced by nucleoside reverse transcriptase inhibitor in rats. *Brain Behav Immun* **25**: 1668-76.

Zheng, W., Ouyang, H., Zheng, X., Liu, S., Mata, M., Fink, D. J. & Hao, S. (2011). Glial TNF α in the spinal cord regulates neuropathic pain induced by HIV gp120 application in rats. *Mol Pain* **7**: 40.

Hao, S., Liu, S., Zheng, X., Zheng, W., Ouyang, H., Mata, M. & Fink, D. J. (2011). The role of TNF α in the periaqueductal gray during naloxone-precipitated morphine withdrawal in rats. *Neuropsychopharmacology* **36**: 664-76.

Goss, J. R., Cascio, M., Goins, W. F., Huang, S., Krisky, D. M., Clarke, R. J., Johnson, J. W., Yokoyama, H., Yoshimura, N., Gold, M. S. & Glorioso, J. C. (2011). HSV delivery of a ligand-regulated endogenous ion channel gene to sensory neurons results in pain control following channel activation. *Mol Ther* **19**: 500-6.

Fink, D. J., Wechuck, J., Mata, M., Glorioso, J. C., Goss, J., Krisky, D. & Wolfe, D. (2011). Gene therapy for pain: results of a phase I clinical trial. *Ann Neurol* **70**: 207-12.

Chattopadhyay, M., Mata, M. & Fink, D. J. (2011). Vector-mediated release of GABA attenuates pain-related behaviors and reduces Na(V)1.7 in DRG neurons. *Eur J Pain* **15**: 913-20.

Yokoyama, H., Sasaki, K., Franks, M. E., Goins, W. F., Goss, J. R., de Groat, W. C., Glorioso, J. C., Chancellor, M. B. & Yoshimura, N. (2009). Gene therapy for bladder overactivity and nociception with herpes simplex virus vectors expressing preproenkephalin. *Hum Gene Ther* **20**: 63-71.

Wolfe, D., Mata, M. & Fink, D. J. (2009). A human trial of HSV-mediated gene transfer for the treatment of chronic pain. *Gene Ther* **16**: 455-60.

Hao, S., Wolfe, D., Glorioso, J. C., Mata, M. & Fink, D. J. (2009). Effects of transgene-mediated endomorphin-2 in inflammatory pain. *Eur J Pain* **13**: 380-6.

Hao, S., Hu, J. & Fink, D. J. (2009). Transgene-mediated enkephalin expression attenuates signs of naloxone-precipitated morphine withdrawal in rats with neuropathic pain. *Behav Brain Res* **197**: 84-9.

Goss, J. R., Gold, M. S. & Glorioso, J. C. (2009). HSV vector-mediated modification of primary nociceptor afferents: an approach to inhibit chronic pain. *Gene Ther* **16**: 493-501.

Goins, W. F., Goss, J. R., Chancellor, M. B., de Groat, W. C., Glorioso, J. C. & Yoshimura, N. (2009). Herpes simplex virus vector-mediated gene delivery for the treatment of lower urinary tract pain. *Gene Ther* **16**: 558-69.

Glorioso, J. C. & Fink, D. J. (2009). Herpes vector-mediated gene transfer in the treatment of chronic pain. *Mol Ther* **17**: 13-8.

Zhou, Z., Peng, X., Hao, S., Fink, D. J. & Mata, M. (2008). HSV-mediated transfer of interleukin-10 reduces inflammatory pain through modulation of membrane tumor necrosis factor alpha in spinal cord microglia. *Gene Ther* **15**: 183-90.

Srinivasan, R., Wolfe, D., Goss, J., Watkins, S., de Groat, W. C., Sculptoreanu, A. & Glorioso, J. C. (2008). Protein kinase C epsilon contributes to basal and sensitizing responses of TRPV1 to capsaicin in rat dorsal root ganglion neurons. *Eur J Neurosci* **28**: 1241-54.

Srinivasan, R., Fink, D. J. & Glorioso, J. C. (2008). HSV vectors for gene therapy of chronic pain. *Curr Opin Mol Ther* **10**: 449-55.

Mata, M., Hao, S. & Fink, D. J. (2008). Applications of gene therapy to the treatment of chronic pain. *Curr Gene Ther* **8**: 42-8.

Mata, M., Hao, S. & Fink, D. J. (2008). Gene therapy directed at the neuroimmune component of chronic pain with particular attention to the role of TNF α . *Neurosci Lett* **437**: 209-13.

Chattopadhyay, M., Mata, M. & Fink, D. J. (2008). Continuous delta-opioid receptor activation reduces neuronal voltage-gated sodium channel (NaV1.7) levels through activation of protein kinase C in painful diabetic neuropathy. *J Neurosci* **28**: 6652-8.

Wolfe, D., Hao, S., Hu, J., Srinivasan, R., Goss, J., Mata, M., Fink, D. J. & Glorioso, J. C. (2007). Engineering an endomorphin-2 gene for use in neuropathic pain therapy. *Pain* **133**: 29-38.

Srinivasan, R., Huang, S., Chaudhry, S., Sculptoreanu, A., Krisky, D., Cascio, M., Friedman, P. A., de Groat, W. C., Wolfe, D. & Glorioso, J. C. (2007). An HSV vector system for selection of ligand-gated ion channel modulators. *Nat Methods* **4**: 733-9.

Hao, S., Mata, M., Glorioso, J. C. & Fink, D. J. (2007). Gene transfer to interfere with TNF α signaling in neuropathic pain. *Gene Ther* **14**: 1010-6.

Hao, S., Mata, M. & Fink, D. J. (2007). Viral vector-based gene transfer for treatment of chronic pain. *Int Anesthesiol Clin* **45**: 59-71.

Goss, J. R., Goins, W. F. & Glorioso, J. C. (2007). Gene therapy applications for the treatment of neuropathic pain. *Expert Rev Neurother* **7**: 487-506.

Peng, X. M., Zhou, Z. G., Glorioso, J. C., Fink, D. J. & Mata, M. (2006). Tumor necrosis factor-alpha contributes to below-level neuropathic pain after spinal cord injury. *Ann Neurol* **59**: 843-51.

- Liu, J., Tai, C., de Groat, W. C., Peng, X. M., Mata, M. & Fink, D. J. (2006). Release of GABA from sensory neurons transduced with a GAD67-expressing vector occurs by non-vesicular mechanisms. *Brain Res* **1073-1074**: 297-304.
- Lee, J. Y., Fink, D. J. & Mata, M. (2006). Vector-mediated gene transfer to express inhibitory neurotransmitters in dorsal root ganglion reduces pain in a rodent model of lumbar radiculopathy. *Spine* **31**: 1555-8.
- Hao, S., Mata, M., Glorioso, J. C. & Fink, D. J. (2006). HSV-mediated expression of interleukin-4 in dorsal root ganglion neurons reduces neuropathic pain. *Mol Pain* **2**: 6.
- Hao, S., Mata, M., Wolfe, D., Huang, S., Glorioso, J. C. & Fink, D. J. (2005). Gene transfer of glutamic acid decarboxylase reduces neuropathic pain. *Ann Neurol* **57**: 914-8.
- Liu, J., Wolfe, D., Hao, S., Huang, S., Glorioso, J. C., Mata, M. & Fink, D. J. (2004). Peripherally delivered glutamic acid decarboxylase gene therapy for spinal cord injury pain. *Mol Ther* **10**: 57-66.
- Hu, J., Mata, M., Hao, S., Zhang, G. & Fink, D. J. (2004). Central sprouting of uninjured small fiber afferents in the adult rat spinal cord following spinal nerve ligation. *Eur J Neurosci* **20**: 1705-12.
- Mata, M., Glorioso, J. & Fink, D. J. (2003). Development of HSV-mediated gene transfer for the treatment of chronic pain. *Exp Neurol* **184 Suppl 1**: S25-9.
- Hao, S., Mata, M., Wolfe, D., Huang, S., Glorioso, J. C. & Fink, D. J. (2003). HSV-mediated gene transfer of the glial cell-derived neurotrophic factor provides an antiallodynic effect on neuropathic pain. *Mol Ther* **8**: 367-75.
- Hao, S., Mata, M., Goins, W., Glorioso, J. C. & Fink, D. J. (2003). Transgene-mediated enkephalin release enhances the effect of morphine and evades tolerance to produce a sustained antiallodynic effect in neuropathic pain. *Pain* **102**: 135-42.
- Hao, S., Mamiya, K., Takahata, O., Iwasaki, H., Mata, M. & Fink, D. J. (2003). Nifedipine potentiates the antinociceptive effect of endomorphin-1 microinjected into the periaqueductal gray in rats. *Anesth Analg* **96**: 1065-71.
- Goss, J. R., Harley, C. F., Mata, M., O'Malley, M. E., Goins, W. F., Hu, X., Glorioso, J. C. & Fink, D. J. (2002). Herpes vector-mediated expression of proenkephalin reduces bone cancer pain. *Ann Neurol* **52**: 662-5.
- Yoshimura, N., Franks, M. E., Sasaki, K., Goins, W. F., Goss, J., Yokoyama, T., Fraser, M. O., Seki, S., Fink, J., Glorioso, J., de Groat, W. C. & Chancellor, M. B. (2001). Gene therapy of bladder pain with herpes simplex virus (HSV) vectors expressing preproenkephalin (PPE). *Urology* **57**: 116.
- Goss, J. R., Mata, M., Goins, W. F., Wu, H. H., Glorioso, J. C. & Fink, D. J. (2001). Antinociceptive effect of a genomic herpes simplex virus-based vector expressing human proenkephalin in rat dorsal root ganglion. *Gene Ther* **8**: 551-6.
- Wilson, S. P., Yeomans, D. C., Bender, M. A., Lu, Y., Goins, W. F. & Glorioso, J. C. (1999). Antihyperalgesic effects of infection with a preproenkephalin-encoding herpes virus. *Proc Natl Acad Sci USA* **96**: 3211-6.

Oligino, T., Ghivizzani, S., Wolfe, D., Lechman, E., Krisky, D., Mi, Z., Evans, C., Robbins, P. & Glorioso, J. (1999). Intra-articular delivery of a herpes simplex virus IL-1Ra gene vector reduces inflammation in a rabbit model of arthritis. *Gene Ther* **6**: 1713-20.

Neuroprotection/Neuropathy

Wu, Z., Mata, M. & Fink, D. J. (2011). Prevention of diabetic neuropathy by regulatable expression of HSV-mediated erythropoietin. *Mol Ther* **19**: 310-7.

Yoshimura, N., Kato, R., Chancellor, M. B., Nelson, J. B. & Glorioso, J. C. (2010). Gene therapy as future treatment of erectile dysfunction. *Expert Opin Biol Ther* **10**: 1305-14.

Peng, X., Zhou, Z., Hu, J., Fink, D. J. & Mata, M. (2010). Soluble Nogo receptor down-regulates expression of neuronal Nogo-A to enhance axonal regeneration. *J Biol Chem* **285**: 2783-95.

Miyazato, M., Sugaya, K., Saito, S., Chancellor, M. B., Goins, W. F., Goss, J. R., de Groat, W. C., Glorioso, J. C. & Yoshimura, N. (2010). Suppression of detrusor-sphincter dyssynergia by herpes simplex virus vector mediated gene delivery of glutamic acid decarboxylase in spinal cord injured rats. *J Urol* **184**: 1204-10.

Koelsch, A., Feng, Y., Fink, D. J. & Mata, M. (2010). Transgene-mediated GDNF expression enhances synaptic connectivity and GABA transmission to improve functional outcome after spinal cord contusion. *J Neurochem* **113**: 143-52.

Zhou, Z., Peng, X., Insolera, R., Fink, D. J. & Mata, M. (2009). Interleukin-10 provides direct trophic support to neurons. *J Neurochem* **110**: 1617-27.

Zhou, Z., Peng, X., Insolera, R., Fink, D. J. & Mata, M. (2009). IL-10 promotes neuronal survival following spinal cord injury. *Exp Neurol* **220**: 183-90.

Zhou, Z., Peng, X., Fink, D. J. & Mata, M. (2009). HSV-mediated transfer of artemin overcomes myelin inhibition to improve outcome after spinal cord injury. *Mol Ther* **17**: 1173-9.

Miyazato, M., Sugaya, K., Goins, W. F., Wolfe, D., Goss, J. R., Chancellor, M. B., de Groat, W. C., Glorioso, J. C. & Yoshimura, N. (2009). Herpes simplex virus vector-mediated gene delivery of glutamic acid decarboxylase reduces detrusor overactivity in spinal cord-injured rats. *Gene Ther* **16**: 660-8.

Kato, R., Wolfe, D., Coyle, C. H., Wechuck, J. B., Tyagi, P., Tsukamoto, T., Nelson, J. B., Glorioso, J. C., Chancellor, M. B. & Yoshimura, N. (2009). Herpes simplex virus vector-mediated delivery of neurturin rescues erectile dysfunction of cavernous nerve injury. *Gene Ther* **16**: 26-33.

Chattopadhyay, M., Walter, C., Mata, M. & Fink, D. J. (2009). Neuroprotective effect of herpes simplex virus-mediated gene transfer of erythropoietin in hyperglycemic dorsal root ganglion neurons. *Brain* **132**: 879-88.

Mata, M., Chattopadhyay, M. & Fink, D. J. (2008). Gene therapy for the treatment of diabetic neuropathy. *Curr Diab Rep* **8**: 431-6.

Kato, R., Wolfe, D., Coyle, C. H., Huang, S., Wechuck, J. B., Goins, W. F., Krisky, D. M., Tsukamoto, T., Nelson, J. B., Glorioso, J. C., Chancellor, M. B. & Yoshimura, N. (2007). Herpes simplex virus vector-mediated delivery of glial cell line-derived neurotrophic factor rescues erectile dysfunction following cavernous nerve injury. *Gene Ther* **14**: 1344-52.

Goss, J. R. (2007). The therapeutic potential of gene transfer for the treatment of peripheral neuropathies. *Expert Rev Mol Med* **9**: 1-20.

Chattopadhyay, M., Mata, M., Goss, J., Wolfe, D., Huang, S., Glorioso, J. C. & Fink, D. J. (2007). Prolonged preservation of nerve function in diabetic neuropathy in mice by herpes simplex virus-mediated gene transfer. *Diabetologia* **50**: 1550-8.

Mata, M., Chattopadhyay, M. & Fink, D. J. (2006). Gene therapy for the treatment of sensory neuropathy. *Expert Opin Biol Ther* **6**: 499-507.

Chattopadhyay, M., Wolfe, D., Mata, M., Huang, S., Glorioso, J. C. & Fink, D. J. (2005). Long-term neuroprotection achieved with latency-associated promoter-driven herpes simplex virus gene transfer to the peripheral nervous system. *Mol Ther* **12**: 307-13.

Chattopadhyay, M., Krisky, D., Wolfe, D., Glorioso, J. C., Mata, M. & Fink, D. J. (2005). HSV-mediated gene transfer of vascular endothelial growth factor to dorsal root ganglia prevents diabetic neuropathy. *Gene Ther* **12**: 1377-84.

Bennett, N. E., Kim, J. H., Wolfe, D. P., Sasaki, K., Yoshimura, N., Goins, W. F., Huang, S., Nelson, J. B., de Groat, W. C., Glorioso, J. C. & Chancellor, M. B. (2005). Improvement in erectile dysfunction after neurotrophic factor gene therapy in diabetic rats. *J Urol* **173**: 1820-4.

Sasaki, K., Chancellor, M. B., Goins, W. F., Phelan, M. W., Glorioso, J. C., de Groat, W. C. & Yoshimura, N. (2004). Gene therapy using replication-defective herpes simplex virus vectors expressing nerve growth factor in a rat model of diabetic cystopathy. *Diabetes* **53**: 2723-30.

Chattopadhyay, M., Goss, J., Wolfe, D., Goins, W. C., Huang, S., Glorioso, J. C., Mata, M. & Fink, D. J. (2004). Protective effect of herpes simplex virus-mediated neurotrophin gene transfer in cisplatin neuropathy. *Brain* **127**: 929-39.

Natsume, A., Wolfe, D., Hu, J., Huang, S., Puskovic, V., Glorioso, J. C., Fink, D. J. & Mata, M. (2003). Enhanced functional recovery after proximal nerve root injury by vector-mediated gene transfer. *Exp Neurol* **184**: 878-86.

Guo, H. L., Wolfe, D., Epperly, M. W., Huang, S., Liu, K., Glorioso, J. C., Greenberger, J. & Blumberg, D. (2003). Gene transfer of human manganese superoxide dismutase protects small intestinal villi from radiation injury. *J Gastrointest Surg* **7**: 229-35.

Chattopadhyay, M., Goss, J., Lacomis, D., Goins, W. C., Glorioso, J. C., Mata, M. & Fink, D. J. (2003). Protective effect of HSV-mediated gene transfer of nerve growth factor in pyridoxine neuropathy demonstrates functional activity of trkA receptors in large sensory neurons of adult animals. *Eur J Neurosci* **17**: 732-40.

Natsume, A., Mata, M., Wolfe, D., Oligino, T., Goss, J., Huang, S., Glorioso, J. & Fink, D. J. (2002). Bcl-2 and GDNF delivered by HSV-mediated gene transfer after spinal root avulsion provide a synergistic effect. *J Neurotrauma* **19**: 61-8.

Goss, J. R., Goins, W. F., Lacomis, D., Mata, M., Glorioso, J. C. & Fink, D. J. (2002). Herpes simplex-mediated gene transfer of nerve growth factor protects against peripheral neuropathy in streptozotocin-induced diabetes in the mouse. *Diabetes* **51**: 2227-32.

Chattopadhyay, M., Wolfe, D., Huang, S., Goss, J., Glorioso, J. C., Mata, M. & Fink, D. J. (2002). In vivo gene therapy for pyridoxine-induced neuropathy by herpes simplex virus-mediated gene transfer of neurotrophin-3. *Ann Neurol* **51**: 19-27.

Yamada, M., Natsume, A., Mata, M., Oligino, T., Goss, J., Glorioso, J. & Fink, D. J. (2001). Herpes simplex virus vector-mediated expression of Bcl-2 protects spinal motor neurons from degeneration following root avulsion. *Exp Neurol* **168**: 225-30.

Goins, W. F., Yoshimura, N., Phelan, M. W., Yokoyama, T., Fraser, M. O., Ozawa, H., Bennett, N. J., de Groat, W. C., Glorioso, J. C. & Chancellor, M. B. (2001). Herpes simplex virus mediated nerve growth factor expression in bladder and afferent neurons: potential treatment for diabetic bladder dysfunction. *J Urol* **165**: 1748-54.

Goins, W. F., Lee, K. A., Cavalcoli, J. D., O'Malley, M. E., DeKosky, S. T., Fink, D. J. & Glorioso, J. C. (1999). Herpes simplex virus type 1 vector-mediated expression of nerve growth factor protects dorsal root ganglion neurons from peroxide toxicity. *J Virol* **73**: 519-32.

Cancer

Uchida, H., Marzulli, M., Nakano, K., Goins, W. F., Chan, J., Hong, C. S., Mazzacurati, L., Yoo, J. Y., Haseley, A., Nakashima, H., Baek, H., Kwon, H., Kumagai, I., Kuroki, M., Kaur, B., Chiocca, E. A., Grandi, P., Cohen, J. B. & Glorioso, J. C. (2012). Effective Treatment of an Orthotopic Xenograft Model of Human Glioblastoma Using an EGFR-retargeted Oncolytic Herpes Simplex Virus. *Mol Ther* (In Press).

Moriuchi, S., Glorioso, J. C., Maruno, M., Izumoto, S., Wolfe, D., Huang, S., Cohen, J. B. & Yoshimine, T. (2005). Combination gene therapy for glioblastoma involving herpes simplex virus vector-mediated codelivery of mutant $\text{I}\kappa\text{B}\beta$ and HSV thymidine kinase. *Cancer Gene Ther* **12**: 487-96.

Kuwayama, Y., Suzuki, T., Moriuchi, S., Glorioso, J. C. & Bessho, M. (2005). I kappa B-mediated apoptotic gene therapy against acute myelogenous leukemia using replication-defective HSV-1 vector expressing TK and mutant $\text{I}\kappa\text{B}\beta$. *Cell Mol Biol* **51**: 77-86.

Niranjan, A., Wolfe, D., Fellows, W., Goins, W. F., Glorioso, J. C., Kondziolka, D. & Lunsford, L. D. (2004). Gene transfer to glial tumors using herpes simplex virus. *Methods Mol Biol* **246**: 323-37.

Niranjan, A., Wolfe, D., Tamura, M., Soares, M. K., Krisky, D. M., Lunsford, L. D., Li, S., Fellows-Mayle, W., DeLuca, N. A., Cohen, J. B. & Glorioso, J. C. (2003). Treatment of rat gliosarcoma brain tumors by HSV-based multigene therapy combined with radiosurgery. *Mol Ther* **8**: 530-42.

Misumi, M., Suzuki, T., Moriuchi, S., Glorioso, J. C. & Bessho, M. (2003). In vitro thymidine kinase/ganciclovir-based suicide gene therapy using replication defective herpes simplex virus-1 against leukemic B-cell malignancies (MCL, HCL, B-CLL). *Leuk Res* **27**: 695-9.

Moriuchi, S., Wolfe, D., Tamura, M., Yoshimine, T., Miura, F., Cohen, J. B. & Glorioso, J. C. (2002). Double suicide gene therapy using a replication defective herpes simplex virus vector reveals reciprocal interference in a malignant glioma model. *Gene Ther* **9**: 584-91.

Burton, E. A. & Glorioso, J. C. (2001). Multi-modal combination gene therapy for malignant glioma using replication-defective HSV vectors. *Drug Discov Today* **6**: 347-356.

Niranjan, A., Moriuchi, S., Lunsford, L. D., Kondziolka, D., Flickinger, J. C., Fellows, W., Rajendiran, S., Tamura, M., Cohen, J. B. & Glorioso, J. C. (2000). Effective treatment of experimental glioblastoma by HSV vector-mediated TNF α and HSV-tk gene transfer in combination with radiosurgery and ganciclovir administration. *Mol Ther* **2**: 114-20.

Moriuchi, S., Krisky, D. M., Marconi, P. C., Tamura, M., Shimizu, K., Yoshimine, T., Cohen, J. B. & Glorioso, J. C. (2000). HSV vector cytotoxicity is inversely correlated with effective TK/GCV suicide gene therapy of rat gliosarcoma. *Gene Ther* **7**: 1483-90.

Marconi, P., Tamura, M., Moriuchi, S., Krisky, D. M., Niranjan, A., Goins, W. F., Cohen, J. B. & Glorioso, J. C. (2000). Connexin 43-enhanced suicide gene therapy using herpesviral vectors. *Mol Ther* **1**: 71-81.

Gomez-Navarro, J., Contreras, J. L., Arafat, W., Jiang, X. L., Krisky, D., Oligino, T., Marconi, P., Hubbard, B., Glorioso, J. C., Curiel, D. T. & Thomas, J. M. (2000). Genetically modified CD34+ cells as cellular vehicles for gene delivery into areas of angiogenesis in a rhesus model. *Gene Ther* **7**: 43-52.

Suzuki, T., Piche, A., Kasono, K., Xiang, J., Gomez-Navarro, J., Moriuchi, S., Krisky, D. M., Oligino, T., Glorioso, J. C., Curiel, T. J. & Curiel, D. T. (1998). Efficient gene delivery into epstein-barr virus (EBV)-transformed human B cells mediated by replication-defective herpes simplex virus-1 (HSV-1): A gene therapy model for EBV-related B cell malignancy. *Biochem Biophys Res Commun* **252**: 686-90.

Moriuchi, S., Oligino, T., Krisky, D., Marconi, P., Fink, D., Cohen, J. & Glorioso, J. C. (1998). Enhanced tumor cell killing in the presence of ganciclovir by herpes simplex virus type 1 vector-directed coexpression of human tumor necrosis factor-alpha and herpes simplex virus thymidine kinase. *Cancer Res* **58**: 5731-7.

Parkinson's disease/Alzheimer's disease

Puskovic, V., Wolfe, D., Wechuck, J., Krisky, D., Collins, J., Glorioso, J. C., Fink, D. J. & Mata, M. (2006). HSV-mediated delivery of erythropoietin restores dopaminergic function in MPTP-treated mice. *Mol Ther* **14**: 710-5.

Hong, C. S., Goins, W. F., Goss, J. R., Burton, E. A. & Glorioso, J. C. (2006). Herpes simplex virus RNAi and neprilysin gene transfer vectors reduce accumulation of Alzheimer's disease-related amyloid-beta peptide in vivo. *Gene Ther* **13**: 1068-79.

Koldamova, R. P., Lefterov, I. M., Staufienbiel, M., Wolfe, D., Huang, S., Glorioso, J. C., Walter, M., Roth, M. G. & Lazo, J. S. (2005). The liver X receptor ligand T0901317 decreases amyloid beta production in vitro and in a mouse model of Alzheimer's disease. *J Biol Chem* **280**: 4079-88.

Puskovic, V., Wolfe, D., Goss, J., Huang, S., Mata, M., Glorioso, J. C. & Fink, D. J. (2004). Prolonged biologically active transgene expression driven by HSV LAP2 in brain in vivo. *Mol Ther* **10**: 67-75.

Fink, D. J., Glorioso, J. & Mata, M. (2003). Therapeutic gene transfer with herpes-based vectors: studies in Parkinson's disease and motor nerve regeneration. *Exp Neurol* **184 Suppl 1**: S19-24.

Burton, E. A., Glorioso, J. C. & Fink, D. J. (2003). Gene therapy progress and prospects: Parkinson's disease. *Gene Ther* **10**: 1721-7.

Natsume, A., Mata, M., Goss, J., Huang, S., Wolfe, D., Oligino, T., Glorioso, J. & Fink, D. J. (2001). Bcl-2 and GDNF delivered by HSV-mediated gene transfer act additively to protect dopaminergic neurons from 6-OHDA-induced degeneration. *Exp Neurol* **169**: 231-8.

Yamada, M., Oligino, T., Mata, M., Goss, J. R., Glorioso, J. C. & Fink, D. J. (1999). Herpes simplex virus vector-mediated expression of Bcl-2 prevents 6-hydroxydopamine-induced degeneration of neurons in the substantia nigra in vivo. *Proc Natl Acad Sci USA* **96**: 4078-83.

Fink, D. J., Poliani, P. L., Oligino, T., Krisky, D. M., Goins, W. F. & Glorioso, J. C. (1997). Development of an HSV-based vector for the treatment of Parkinson's disease. *Exp Neurol* **144**: 103-21.

Delivery System Engineering/Manufacturing

Goins, W. F., Krisky, D. M., Wechuck, J. B., Wolfe, D., Huang, S. & Glorioso, J. C. (2011). Generation of replication-competent and -defective HSV vectors. *Cold Spring Harb Protoc* 2011.

Goins, W. F., Krisky, D. M., Wechuck, J. B., Huang, S. & Glorioso, J. C. (2008). Construction and production of recombinant herpes simplex virus vectors. *Methods Mol Biol* **433**: 97-113.

Craft, A. M., Krisky, D. M., Wechuck, J. B., Lobenhofer, E. K., Jiang, Y., Wolfe, D. P. & Glorioso, J. C. (2008). Herpes simplex virus-mediated expression of Pax3 and MyoD in embryoid bodies results in lineage-Related alterations in gene expression profiles. *Stem Cells* **26**: 3119-29.

Kwon, H., Bai, Q., Baek, H. J., Felmet, K., Burton, E. A., Goins, W. F., Cohen, J. B. & Glorioso, J. C. (2006). Soluble V domain of Nectin-1/HveC enables entry of herpes simplex virus type 1 (HSV-1) into HSV-resistant cells by binding to viral glycoprotein D. *J Virol* **80**: 138-48.

Jiang, C., Glorioso, J. C. & Ataii, M. (2006). Presence of imidazole in loading buffer prevents formation of free radical in immobilized metal affinity chromatography and dramatically improves the recovery of herpes simplex virus type 1 gene therapy vectors. *J Chromatogr A* **1121**: 40-5.

Jiang, C., Ataii, M., Ozuer, A., Krisky, D., Wechuck, J., Pornsuwan, S., Pourarian, F. & Glorioso, J. C. (2006). Inactivation of herpes simplex type 1 gene vector on immobilized metal affinity chromatography: oxidative damage by hydroxyl free radicals and its prevention. *Biotechnol Bioeng* **95**: 48-57.

Nakano, K., Asano, R., Tsumoto, K., Kwon, H., Goins, W. F., Kumagai, I., Cohen, J. B. & Glorioso, J. C. (2005). Herpes simplex virus targeting to the EGF receptor by a gD-specific soluble bridging molecule. *Mol Ther* **11**: 617-26.

Frampton, A. R., Jr., Goins, W. F., Nakano, K., Burton, E. A. & Glorioso, J. C. (2005). HSV trafficking and development of gene therapy vectors with applications in the nervous system. *Gene Ther* **12**: 891-901.

Fradette, J., Wolfe, D., Goins, W. F., Huang, S., Flanigan, R. M. & Glorioso, J. C. (2005). HSV vector-mediated transduction and GDNF secretion from adipose cells. *Gene Ther* **12**: 48-58.

Burton, E. A., Fink, D. J. & Glorioso, J. C. (2005). Replication-defective genomic HSV gene therapy vectors: design, production and CNS applications. *Curr Opin Mol Ther* **7**: 326-36.

Wolfe, D., Wechuck, J. B., Krisky, D. M., Goff, J. P., Goins, W. F., Ozuer, A., Epperly, M. E., Greenberger, J. S., Fink, D. J. & Glorioso, J. C. (2004). Delivery of herpes simplex virus-based vectors to stem cells. *Methods Mol Biol* **246**: 339-52.

Wolfe, D., Niranjan, A., Trichel, A., Wiley, C., Ozuer, A., Kanal, E., Kondziolka, D., Krisky, D., Goss, J., Deluca, N., Murphey-Corb, M. & Glorioso, J. C. (2004). Safety and biodistribution studies of an HSV multigene vector following intracranial delivery to non-human primates. *Gene Ther* **11**: 1675-84.

Jiang, C., Wechuck, J. B., Goins, W. F., Krisky, D. M., Wolfe, D., Ataii, M. M. & Glorioso, J. C. (2004). Immobilized cobalt affinity chromatography provides a novel, efficient method for herpes simplex virus type 1 gene vector purification. *J Virol* **78**: 8994-9006.

Goss, J. R., Natsume, A., Wolfe, D., Mata, M., Glorioso, J. C. & Fink, D. J. (2004). Delivery of herpes simplex virus-based vectors to the nervous system. *Methods Mol Biol* **246**: 309-22.

Goins, W. F., Wolfe, D., Krisky, D. M., Bai, Q., Burton, E. A., Fink, D. J. & Glorioso, J. C. (2004). Delivery using herpes simplex virus: an overview. *Methods Mol Biol* **246**: 257-99.

Glorioso, J. C. & Fink, D. J. (2004). Herpes vector-mediated gene transfer in treatment of diseases of the nervous system. *Annu Rev Microbiol* **58**: 253-71.

Mata, M., Glorioso, J. C. & Fink, D. J. (2003). Gene transfer to the nervous system: prospects for novel treatments directed at diseases of the aging nervous system. *J Gerontol A Biol Sci Med Sci* **58**: M1111-8.

Glorioso, J. C., Mata, M. & Fink, D. J. (2003). Therapeutic gene transfer to the nervous system using viral vectors. *J Neurovirol* **9**: 165-72.

Glorioso, J. C., Mata, M. & Fink, D. J. (2003). Exploiting the neurotherapeutic potential of peptides: targeted delivery using HSV vectors. *Expert Opin Biol Ther* **3**: 1233-9.

Wechuck, J. B., Ozuer, A., Goins, W. F., Wolfe, D., Oligino, T., Glorioso, J. C. & Atai, M. M. (2002). Effect of temperature, medium composition, and cell passage on production of herpes-based viral vectors. *Biotechnol Bioeng* **79**: 112-9.

Ozuer, A., Wechuck, J. B., Russell, B., Wolfe, D., Goins, W. F., Glorioso, J. C. & Atai, M. M. (2002). Evaluation of infection parameters in the production of replication-defective HSV-1 viral vectors. *Biotechnol Prog* **18**: 476-82.

Ozuer, A., Wechuck, J. B., Goins, W. F., Wolfe, D., Glorioso, J. C. & Atai, M. M. (2002). Effect of genetic background and culture conditions on the production of herpesvirus-based gene therapy vectors. *Biotechnol Bioeng* **77**: 685-92.

Goins, W. F., Marconi, P., Krisky, D., Wolfe, D., Glorioso, J. C., Ramakrishnan, R. & Fink, D. J. (2002). Construction of replication-defective herpes simplex virus vectors. *Curr Protoc Hum Genet* **Chapter 12**: Unit 12 11.

Burton, E. A., Fink, D. J. & Glorioso, J. C. (2002). Gene delivery using herpes simplex virus vectors. *DNA Cell Biol* **21**: 915-36.

Burton, E. A., Bai, Q., Goins, W. F. & Glorioso, J. C. (2002). Replication-defective genomic herpes simplex vectors: design and production. *Curr Opin Biotechnol* **13**: 424-8.

Burton, E. A., Wechuck, J. B., Wendell, S. K., Goins, W. F., Fink, D. J. & Glorioso, J. C. (2001). Multiple applications for replication-defective herpes simplex virus vectors. *Stem Cells* **19**: 358-77.

Burton, E. A., Bai, Q., Goins, W. F. & Glorioso, J. C. (2001). Targeting gene expression using HSV vectors. *Adv Drug Deliv Rev* **53**: 155-70.

Wechuck, J. B., Goins, W. F., Glorioso, J. C. & Atai, M. M. (2000). Effect of protease inhibitors on yield of HSV-1-based viral vectors. *Biotechnol Prog* **16**: 493-6.

Chen, X., Li, J., Mata, M., Goss, J., Wolfe, D., Glorioso, J. C. & Fink, D. J. (2000). Herpes simplex virus type 1 ICPO protein does not accumulate in the nucleus of primary neurons in culture. *J Virol* **74**: 10132-41.

- Wolfe, D., Goins, W. F., Yamada, M., Moriuchi, S., Krisky, D. M., Oligino, T. J., Marconi, P. C., Fink, D. J. & Glorioso, J. C. (1999). Engineering herpes simplex virus vectors for CNS applications. *Exp Neurol* **159**: 34-46.
- Oligino, T., Poliani, P. L., Wang, Y., Tsai, S. Y., O'Malley, B. W., Fink, D. J. & Glorioso, J. C. (1998). Drug inducible transgene expression in brain using a herpes simplex virus vector. *Gene Ther* **5**: 491-6.
- Krisky, D. M., Wolfe, D., Goins, W. F., Marconi, P. C., Ramakrishnan, R., Mata, M., Rouse, R. J., Fink, D. J. & Glorioso, J. C. (1998). Deletion of multiple immediate-early genes from herpes simplex virus reduces cytotoxicity and permits long-term gene expression in neurons. *Gene Ther* **5**: 1593-603.
- Krisky, D. M., Marconi, P. C., Oligino, T. J., Rouse, R. J., Fink, D. J., Cohen, J. B., Watkins, S. C. & Glorioso, J. C. (1998). Development of herpes simplex virus replication-defective multigene vectors for combination gene therapy applications. *Gene Ther* **5**: 1517-30.
- Rasty, S., Poliani, P. L., Fink, D. J. & Glorioso, J. C. (1997). Deletion of the S component inverted repeat sequence c' and the nonessential genes U(S)1 through U(S)5 from the herpes simplex virus type 1 genome substantially impairs productive viral infection in cell culture and pathogenesis in the rat central nervous system. *J Neurovirol* **3**: 247-64.
- Krisky, D. M., Marconi, P. C., Oligino, T., Rouse, R. J., Fink, D. J. & Glorioso, J. C. (1997). Rapid method for construction of recombinant HSV gene transfer vectors. *Gene Ther* **4**: 1120-5.
- Goins, W. F., Krisky, D., Marconi, P., Oligino, T., Ramakrishnan, R., Poliani, P. L., Fink, D. J. & Glorioso, J. C. (1997). Herpes simplex virus vectors for gene transfer to the nervous system. *J Neurovirol* **3 Suppl 1**: S80-8.
- Glorioso, J. C., Goins, W. F., Schmidt, M. C., Oligino, T., Krisky, D. M., Marconi, P. C., Cavalcoli, J. D., Ramakrishnan, R., Poliani, P. L. & Fink, D. J. (1997). Engineering herpes simplex virus vectors for human gene therapy. *Adv Pharmacol* **40**: 103-36.
- Fink, D. J. & Glorioso, J. C. (1997). Herpes simplex virus-based vectors: problems and some solutions. *Adv Neurol* **72**: 149-56.
- Fink, D. J. & Glorioso, J. C. (1997). Engineering herpes simplex virus vectors for gene transfer to neurons. *Nat Med* **3**: 357-9.
- Soares, K., Hwang, D. Y., Ramakrishnan, R., Schmidt, M. C., Fink, D. J. & Glorioso, J. C. (1996). cis-acting elements involved in transcriptional regulation of the herpes simplex virus type 1 latency-associated promoter 1 (LAP1) in vitro and in vivo. *J Virol* **70**: 5384-94.
- Ramakrishnan, R., Poliani, P. L., Levine, M., Glorioso, J. C. & Fink, D. J. (1996). Detection of herpes simplex virus type 1 latency-associated transcript expression in trigeminal ganglia by in situ reverse transcriptase PCR. *J Virol* **70**: 6519-23.
- Oligino, T., Poliani, P. L., Marconi, P., Bender, M. A., Schmidt, M. C., Fink, D. J. & Glorioso, J. C. (1996). In vivo transgene activation from an HSV-based gene therapy vector by GAL4:vp16. *Gene Ther* **3**: 892-9.

- Marconi, P., Krisky, D., Oligino, T., Poliani, P. L., Ramakrishnan, R., Goins, W. F., Fink, D. J. & Glorioso, J. C. (1996). Replication-defective herpes simplex virus vectors for gene transfer in vivo. *Proc Natl Acad Sci USA* **93**: 11319-20.
- Fink, D. J., DeLuca, N. A., Goins, W. F. & Glorioso, J. C. (1996). Gene transfer to neurons using herpes simplex virus-based vectors. *Annu Rev Neurosci* **19**: 265-87.
- Glorioso, J. C., Bender, M. A., Goins, W. F., Fink, D. J. & DeLuca, N. (1995). HSV as a gene transfer vector for the nervous system. *Mol Biotechnol* **4**: 87-99.
- Fink, D. J., Ramakrishnan, R., Marconi, P., Goins, W. F., Holland, T. C. & Glorioso, J. C. (1995). Advances in the development of herpes simplex virus-based gene transfer vectors for the nervous system. *Clin Neurosci* **3**: 284-91.
- Ramakrishnan, R., Fink, D. J., Jiang, G., Desai, P., Glorioso, J. C. & Levine, M. (1994). Competitive quantitative PCR analysis of herpes simplex virus type 1 DNA and latency-associated transcript RNA in latently infected cells of the rat brain. *J Virol* **68**: 1864-73.
- Goins, W. F., Sternberg, L. R., Croen, K. D., Krause, P. R., Hendricks, R. L., Fink, D. J., Straus, S. E., Levine, M. & Glorioso, J. C. (1994). A novel latency-active promoter is contained within the herpes simplex virus type 1 UL flanking repeats. *J Virol* **68**: 2239-52.